

Variable Initialization

- Some languages let you declare variables without specifying their initial values
- And let you use them without initializing them
 - E.g., C and C++
- Why is that a problem?

Variable Initialization

- Some languages let you declare variables without specifying their initial values
- And let you use them without initializing them
 - E.g., C and C++
- Why is that a problem?

A Little Example

```
main()
{
    foo();
    bar();
}

foo()
{
    int a;
    int b;
    int c;

    a = 11;
    b = 12;
    c = 13;
}

bar()
{
    int aa;
    int bb;
    int cc;

    printf("aa = %d\n", aa);
    printf("bb = %d\n", bb);
    printf("cc = %d\n", cc);
}
```

What's the Output?

```
lever.cs.ucla.edu[9]. /a.out
```

```
aa = 11
```

```
bb = 12
```

```
cc = 13
```

- Perhaps not exactly what you might want

Why Is This Dangerous?

- Values from one function “leak” into another function
- If attacker can influence the values in the first function,
- Maybe he can alter the behavior of the second one

Variable Cleanup

- Often, programs reuse a buffer or other memory area
- If old data lives in this area, might not be properly cleaned up
- And then can be treated as something other than what it really was
- E.g., bug in Microsoft TCP/IP stack
 - Old packet data treated as a function pointer

Use-After-Free Bugs

- Increasingly popular security bug type
- Related to memory management
 - Memory structures are dynamically allocated on the heap
- Either explicitly or implicitly freed
 - Depending on language and context
- In some cases, pointers can be used to access freed memory
 - E.g., in C and C++

An Example Use-After-Free Bug

- In OpenSSL (from 2009)

```
. . .
frag->fragment, frag->msg_header.frag_len);
}
dtls1_hm_fragment_free(frag);
pitem_free(item);

if (al==0)
{
    *ok = 1;
    return frag->msg_header.frag_len;
}
```


What Was the Effect?

- Typically, crashing the program
- But it would depend
- When combined with other vulnerabilities, could be worse
- E.g., arbitrary code execution
- Often making use of poor error handling code

Recent Examples of Use-After-Free Bugs

- Internet Explorer (2014, several in 2012-2013)
- Adobe Reader and Acrobat (2014)
- Mozilla, multiple products (2012)
- Google Chrome (2012)

Some Other Problem Areas

- Handling of data structures
 - Indexing error in DAEMON Tools
- Arithmetic issues
 - Integer overflow in Sophos antivirus
 - Signedness error in XnView
- Errors in flow control
 - Samba error that causes loop to use wrong structure
- Off-by-one errors
 - Denial of service flaw in Clam AV

Yet More Problem Areas

- Null pointer dereferencing
 - Xarrow SCADA system denial of service
- Side effects
- Punctuation errors
- Typos and cut-and-paste errors
 - Recent iOS vulnerability based on inadvertent duplication of a goto statement
- There are many others

Why Should You Care?

- A lot of this stuff is kind of exotic
- Might seem unlikely it can be exploited
- Sounds like it would be hard to exploit without source code access
- Many examples of these bugs probably unexploitable

So . . . ?

- Well, that's what everyone thinks before they get screwed
- “Nobody will find this bug”
- “It's too hard to figure out how to exploit this bug”
- “It will get taken care of by someone else”
 - Code auditors
 - Testers
 - Firewalls

That's What They Always Say

- Before their system gets screwed
- Attackers can be very clever
 - Maybe more clever than you
- Attackers can work very hard
 - Maybe harder than you would
- Attackers may not have the goals you predict

But How to Balance Things?

- You only have a certain amount of time to design and build code
- Won't secure coding cut into that time?
- Maybe
- But less if you develop code coding practices
- If you avoid problematic things, you'll tend to code more securely

Some Good Coding Practices

- Validate input
- Be careful with failure conditions and return codes
- Avoid dangerous constructs
 - Like C input functions that don't specify amount of data
- Keep it simple