Security Protocols CS 239 Computer Security February 1, 2006

Sintor 2006

Outline

- Designing secure protocols
- Basic protocols
 - -Key exchange

) Winter 2004

Basics of Security Protocols

- Work from the assumption (usually) that your encryption is sufficiently strong
- Given that, how do you design a message exchange to achieve a given result securely?
- Not nearly as easy as you probably think

ter 2006

Security Protocols

- A series of steps involving two or more parties designed to accomplish a task with suitable security
- Sequence is important
- Cryptographic protocols use cryptography
- Different protocols assume different levels of trust between participants


CS 239, Winter 2006


Lecture Pogo 4

Types of Security Protocols

- Arbitrated protocols
 - -Involving a trusted third party
- · Adjudicated protocols
 - -Trusted third party, after the fact
- Self-enforcing protocols
 - -No trusted third party

or 2006









Tren

A disinterested third party trusted by all legitimate participants

Arbitrators often simplify protocols, but add overhead

. 2004

Lecture 6

Key Exchange Protocols

- Often we want a different encryption key for each communication session
- How do we get those keys to the participants?
 - Securely
 - Quickly
 - Even if they've never communicated


CS 239, Winter 2006


Key Exchange With Symmetric Encryption and a Arbitrator


- Alice and Bob want to talk securely with a new key
- They both trust Trent
 - Assume Alice & Bob each share a key with Trent
- How do Alice and Bob get a shared key?

CS 239, Winter 200

Lecture Page 10







What Has the Protocol Achieved?

- Alice and Bob both have a new session key
- The session key was transmitted using keys known only to Alice and Bob
- Both Alice and Bob know that Trent participated
- But there are vulnerabilities

Lecture 6

Problems With the Protocol

- What if the initial request was grabbed by Mallory?
- Could he do something bad that ends up causing us problems?
- Yes!


Lecture 6


The Man-in-the-Middle Attack


- A class of attacks where an active attacker interposes himself secretly in a protocol
- Allowing alteration of the effects of the protocol
- Without necessarily attacking the encryption


CS 239, Winter 2006


Page 16












Defeating the Man In the Middle

- Problems:
- 1). Trent doesn't really know what he's supposed to do
- 2). Alice doesn't verify he did the right thing
- Minor changes can fix that
 - 1). Encrypt request with K_A
 - 2). Include identity of other participant in response $E_{K_4}(K_S, Bob)$

er 2006





But There's Another Problem


- · A replay attack
- Replay attacks occur when Mallory copies down a bunch of protocol messages
- · And then plays them again
- In some cases, this can wreak havoc
- Why does it here?


CS 239, Winter 2006


Lecture Page 2















Key Exchange With Public Key Cryptography

- With no trusted arbitrator
- Alice sends Bob her public key
- Bob sends Alice his public key
- Alice generates a session key and sends it to Bob encrypted with his public key, signed with her private key
- Bob decrypts Alice's message with his private key
- Encrypt session with shared session key









Defeating This Man-in-the-Middle Attack

- Use Rivest and Shamir's *interlock* protocol
- Doesn't require any authorities
- Essentially, send stuff in pieces of an encrypted whole
- The man in the middle has little chance of correctly dealing with pieces

CS 239, Winter 2006

Using the Interlock Protocol

- Alice sends Bob her public key
- Bob sends Alice his public key
- Alice encrypts her message in Bob's public key and sends half of it to Bob
- Bob encrypts his message in Alice's public key and sends half of it to Alice
- Alice sends her other half to Bob

Continuing the Interlock Protocol

- Bob puts Alice's two halves together and decrypts
- Bob sends the other half of his encrypted message to Alice
- Alice puts Bob's halves together and decrypts

ntor 2006

Why Does This Protocol Help?

- Because the man in the middle must provide half of an encrypted message before he gets all of it
- Consider one part of the attack -
 - Mallory wants to translate the message in Alice's public key into Mallory's public key


CS 239, Winter 2006

Lecture 6

What Does Mallory Do?

- Mallory has deceptively sent out her public key to Bob and Alice
 - Claiming it's theirs
 - And Mallory knows their public keys
- Alice send Mallory half of an encrypted message
- Now Mallory must send Bob half an encrypted message


CS 239, Winter 2006



Mallory's Problem

- Mallory can't yet decrypt Alice's message

 Since he only has half of it
- Mallory must provide Bob two matching halves eventually
 - And one right now
- Mallory's only choice is to generate a new message before he knows the real message



Why Is This A Problem For Mallory?

- Mallory must now spoof <u>proper</u> <u>contents</u> of Bob and Alice's <u>conversation</u>
- Without knowing the real contents until later
- Bob and Alice are likely to notice problems quickly

CS 239, Winter 2006

Lecture 6 Page 43

Is This Generally Feasible?

- Not really
- Assumes Bob has a useful, unguessable message before Alice's message arrives
- Not really the way the world works
- If Mallory can guess Bob's message, he can play the standard man-in-the-middle game

CS 239 Winter 2006 -

Page 44

Diffie/Hellman Key Exchange

- Securely exchange a key
 - -Without previously sharing any secrets
- Alice and Bob agree on a large prime *n* and a number *g*
 - -g should be primitive mod n
- *n* and *g* don't need to be secrets

CS 239, Winter 2006

Page 45

Exchanging a Key in Diffie/Hellman

- Alice and Bob want to set up a session key
 - -How can they learn the key without anyone else knowing it?
- Protocol assumes authentication
- Alice chooses a large random integer x and sends Bob X = g^xmod n

CS 239, Winter 2006

Lecture Page 46

Exchanging the Key, Con't

- Bob chooses a random large integer y and sends Alice Y = g^y mod n
- Alice computes $k = Y^x \mod n$
- Bob computes $k' = X^y \mod n$
- k and k' are both equal to $g^{xy} mod n$
- But nobody else can compute *k* or *k*'

CS 239, Winter 2006

Lecture 6 Page 47

Why Can't Others Get the Secret?

- What do they know?
 - -n, g, X, and Y
 - $-\operatorname{Not} x \text{ or } y$
- Knowing *X* and *y* gets you *k*
- Knowing Y and x gets you k'
- Knowing X and Y gets you nothing
 - Unless you compute the discrete logarithm to obtain x or y

CS 239, Winter 2006

Page 48